Freeform Search

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term: `L30 and (flash near cool$3 or flash near quench$3)`

Display: `10` ,Documents in Display Format: `-`   Starting with Number `1`

Generate: ⊙ Hit List ⊙ Hit Count ⊙ Side by Side ⊙ Image

Search | Clear | Interrupt

Search History

**DATE: Friday, September 28, 2007**   Purge Queries   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L31	L30 and (flash near cool$3 or flash near quench$3)	37	L31
L30	L25 and (flash near duration or flash near time or flash near period or flash near cycle)	604	L30
L29	L28 and (flash near duration or flash near time or flash near period or flash near cycle)	5	L29
L28	L25 and (heat$3 near lamp or IR near lamp or infrared near lamp) same (cool$3 or quench$3)	173	L28
L27	L26 and (cool$3 or quench$3)	441	L27
L26	L25 and (heat$3 near lamp or IR near lamp or infrared near lamp)	1302	L26
L25	315/$.ccls.	89273	L25
	DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ		
L24	driv$3 near heat$3 near discharge lamp	0	L24
L23	operat$3 near heat$3 near discharge lamp	1	L23
L22	operat$3 discharge lamp	1234	L22
L21	L19 and (heat$3 near cool$3 or lamp near cool$3)	92	L21

L20	L19 and (heat$3 near quench$3 or lamp near quench$3)	1	L20
L19	L17 and (cool$3 or quench$3)	235	L19
L18	L17 and (flash near duration or flash near time or flash near period or flash near cycle)	7	L18
L17	L16 and (heater or heating element or heat$3 near lamp or flash$3 near lamp)	342	L17
L16	L15 and (thermograph$4 or thermal near sensor or thermal near detector or pyrometer or infrared near sensor or infrared near detector or IR near sensor or IR near detector or IR near camera or infrared near camera or thermal near imag$3)	998	L16
L15	(219/201,230,248,264,490,494,507,509,510 374/4,5,120,121;250/341.6)! [CCLS]	8344	L15

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

L14	L13 and (lamp or heater or heating element)	33	L14
L13	L12 and (lamp near quench$3 or lamp near cool$3 or heat$3 near quench$3 or heat$3 near cool$3)	58	L13
L12	341.6	507	L12
L11	control$3 near duration near flash	109	L11
L10	control near duration near flash	83	L10
L9	L8 and (flash)	0	L9
L8	L7 and (cool$3 or quench$3)	24	L8
L7	L6 and (control$3 near signal)	60	L7
L6	(control$4 near heat$3 lamp)	263	L6

DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ

L5	L3 and (control signal)	174	L5
L4	L3 and (flash lamp)	0	L4
L3	L2 and (cool$3 or quench$3)	821	L3
L2	L1 and (heat$3 near control$4)	1727	L2
L1	(219/201,230,248,264,490,494,507,509,510)![CCLS]	7046	L1

END OF SEARCH HISTORY

Searches for User *gverbitsky* (Count = 51991)

Queries 51942 through 51991.

Find

Latest | Prev | Next | Oldest

Edit | Help | Cancel

S #	Updt	Database	Query
S51991	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(315/$.ccls. and (flash near duration or fl near time or flash near period or flash ne cycle)) and (flash near cool$3 or flash n. quench$3)
S51990	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(315/$.ccls.) and (flash near duration or near time or flash near period or flash ne cycle)
S51989	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(315/$.ccls. and (heat$3 near lamp or IR lamp or infrared near lamp) same (cool$. quench$3)) and (flash near duration or f near time or flash near period or flash ne cycle)
S51988	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(315/$.ccls.) and (heat$3 near lamp or II lamp or infrared near lamp) same (cool$. quench$3)
S51987	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(315/$.ccls. and (heat$3 near lamp or IR lamp or infrared near lamp)) and (cool$. quench$3)
S51986	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(315/$.ccls.) and (heat$3 near lamp or II lamp or infrared near lamp)
S51985	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	315/$.ccls.
S51984	U	PGPB,USPT,USOC,EPAB,JPAB	driv$3 near heat$3 near discharge lamp
S51983	U	PGPB,USPT,USOC,EPAB,JPAB	operat$3 near heat$3 near discharge lam
S51982	U	PGPB,USPT,USOC,EPAB,JPAB	operat$3 discharge lamp
S51981	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509.

Searches for User *gverbitsky* (Count = 51981)

Queries 51932 through 51981.

Find

Latest | Prev | Next | Oldest

Edit | Help | Cancel

S #	Updt	Database	Query
S51981	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509. 374/4,5,120,121;250/341.6)![CCLS] an((thermograph$4 or thermal near sensor o thermal near detector or pyrometer or in(near sensor or infrared near detector or I(sensor or IR near detector or IR near can infrared near camera or thermal near ima and (heater or heating element or heat$3 lamp or flash$3 near lamp) and (cool$3 (quench$3)) and (heat$3 near cool$3 or l near cool$3)
S51980	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507.509 374/4,5,120,121;250/341.6)![CCLS] an((thermograph$4 or thermal near sensor o thermal near detector or pyrometer or in(near sensor or infrared near detector or I(sensor or IR near detector or IR near can infrared near camera or thermal near ima and (heater or heating element or heat$3 lamp or flash$3 near lamp) and (cool$3 (quench$3)) and (heat$3 near cool$# or l near quench$3)
S51979	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509. 374/4,5,120,121;250/341.6)![CCLS] an((thermograph$4 or thermal near sensor o thermal near detector or pyrometer or in(near sensor or infrared near detector or I(sensor or IR near detector or IR near can infrared near camera or thermal near ima and (heater or heating element or heat$3 lamp or flash$3 near lamp) and (cool$3 (quench$3)) and.(heat$3 near quench$3 (lamp near quench$3)
S51978	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201.230,248,264,490,494,507,509 374/4,5,120,121;250/341.6)![CCLS] an(

			(thermograph$4 or thermal near sensor o thermal near detector or pyrometer or inf near sensor or infrared near detector or II sensor or IR near detector or IR near can infrared near camera or thermal near ima and (heater or heating element or heat$3 lamp or flash$3 near lamp)) and (cool$3 quench$3)
S51977	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509 374/4,5,120,121;250/341.6)![CCLS] anc (thermograph$4 or thermal near sensor o thermal near detector or pyrometer or inf near sensor or infrared near detector or II sensor or IR near detector or IR near can infrared near camera or thermal near ima and (heater or heating element or heat$3 lamp or flash$3 near lamp)) and (flash n duration or flash near time or flash near | or flash near cycle)
S51976	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509 374/4,5,120,121;250/341.6)![CCLS] anc (thermograph$4 or thermal near sensor o thermal near detector or pyrometer or inf near sensor or infrared near detector or II sensor or IR near detector or IR near can infrared near camera or thermal near ima and (heater or heating element or heat$3 lamp or flash$3 near lamp)
S51975	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509. 374/4,5,120,121;250/341.6)![CCLS]) a: (thermograph$4 or thermal near sensor o thermal near detector or pyrometer or inf near sensor or infrared near detector or II sensor or IR near detector or IR near can infrared near camera or thermal near ima
S51974	U	PGPB,USPT,USOC,EPAB,JPAB	(219/201,230,248,264,490,494,507,509.: 374/4,5,120,121;250/341.6)![CCLS]
S51973	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(341.6 and (lamp near quench$3 or lamp cool$3 or heat$3 near quench$3 or heat$ cool$3)) and (lamp or heater or heating element)
S51972	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(341.6) and (lamp near quench$3 or lam cool$3 or heat$3 near quench$3 or heat$ cool$3)
S51971	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	341.6
S51970	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	control$3 near duration near flash

S51969	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	control near duration near flash
S51968	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((control$4 near heat$3 lamp) and (contr near signal) and (cool$3 or quench$3)) a (flash)
S51967	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((control$4 near heat$3 lamp) and (contr near signal)) and (cool$3 or quench$3)
S51966	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((control$4 near heat$3 lamp)) and (con near signal)
S51965	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(control$4 near heat$3 lamp)
S51964	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509 [CCLS] and (heat$3 near control$4) and (cool$3 or quench$3)) and (control sign
S51963	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509 [CCLS] and (heat$3 near control$4) and (cool$3 or quench$3)) and (flash lamp)
S51962	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509 [CCLS] and (heat$3 near control$4)) an (cool$3 or quench$3)
S51961	U	PGPB,USPT,USOC,EPAB,JPAB	((219/201,230,248,264,490,494,507,509 [CCLS]) and (heat$3 near control$4)
S51960	U	PGPB,USPT,USOC,EPAB,JPAB	(219/201,230,248,264,490,494,507,509, [CCLS]
S51959	U	USPT	(6759793.pn.) and (heat$3)
S51958	U	USPT	6759793.pn.
S51957	U	USPT	(6583588.pn.) and (heat$3)
S51956	U	USPT	6583588.pn.
S51955	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(thermograph$4 or infrared camera or in: imag$3 or thermal imag$3 or thermal ca same(heat$3 near control$3)
S51954	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(thermograph$4 or infrared camera or in

			imag$3 or thermal imag$3 or thermal can and (heat$3 near control$3)
S51953	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(heat$3 near lamp) near (quench$3 or co and (cool$3 near control$3 or quench$3 control$3)
S51952	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(flash near lamp) near (quench$3 or cool and (cool$3 near control$3 or quench$3 control$3)
S51951	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(flash near lamp) near (quench$3 or cool and (control$3)
S51950	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(flash near lamp) near (quench$3 or cool
S51949	U	USPT	6753766.pn. and (blind spot)
S51948	U	USPT	6753766.pn.
S51947	U	USPT	(5668539.pn.) and (blind spot)
S51946	U	USPT	5668539.pn.
S51945	U	PGPB	(20060067378) and (blind spot)
S51944	U	PGPB	20060067378
S51943	U	USPT	(6567080.pn.) and (program)
S51942	U	USPT	(6567080.pn.) and (fan or cool$3)
S51941	U	USPT	6567080.pn.
S51940	U	USPT	4215336.pn.
S51939	U	USPT	6499877.pn.
S51938	U	USPT	4301682.pn.

			near lamp near control$3) and (heat$3 ne heat$3 near control$3)) and (heating lan lamp)
S51748	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls. and (heater near control$4 o near control$4 or flash near lamp near cc near lamp near control$3) and (heat$3 ne heat$3 near control$3)) and (heating lan
S51747	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls. and (heater near control$4 o near control$4 or flash near lamp near cc near lamp near control$3) and (heat$3 ne heat$3 near control$3)) and (flash lamp)
S51746	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls.) and ((heater near control$4 element near control$4 or flash near lam heat$3 near lamp near control$3) and (he or heat$3 near control$3))
S51745	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/$.ccls.
S51744	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(250/$.ccls.) and ((heater near control$4 element near control$4 or flash near lam heat$3 near lamp near control$3) and (he or heat$3 near control$3))
S51743	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	250/$.ccls.
S51742	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(heater near control$4 or heating elemen flash near lamp near control$3 or heat$3 control$3) and (heat$3 near duration or F control$3)
S51741	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/11) and (flash near lamp)
S51740	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/11 and (heat$3 near duration or hea control$3)) and (flash lamp)
S51739	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/11) and (heat$3 near duration or he control$3)
S51738	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/11
S51737	U	USPT	(6043714.pn.) and (lsub.ref)
S51736	U	USPT	(6043714.pn.) and (16 and l.sub.ref)
S51735	U	USPT	(6043714.pn.) and (16 and reference nea

S51734	U	USPT	(6043714.pn.) and (16)
S51733	U	USPT	(6043714.pn.) and (output near current)
S51732	U	USPT	(6043714.pn.) and (current)

Find

Latest | Prev | Next | Oldest

Edit | Help | Cancel